


AE3220



SERIES
AE3200
ALUMINUM EXTENSION LADDER

TYPE I
250 LBS.
LOAD CAPACITY
INCLUDES WEIGHT OF USER PLUS MATERIALS



1. Mar-resistant rail end caps.
2. D-shaped rungs.
3. Modified I-beam.

3. **MaxLock™** with **QuickLatch™**.
5. Swivel safety shoe with overmolded polymer tread.

RAIL DEPTH	3"
STACK HEIGHT	5 1/4"
INSIDE WIDTH	
base	15 1/4"
fly	13 15/16"
OUTSIDE WIDTH	
base	17 1/2"
fly	16 3/16"

MODEL	TOTAL LENGTH	LENGTH EACH SECTION	MAX. EXTENDED LENGTH	MAX. REACH	APPROX. WEIGHT (LBS)	APPROX. CUBES
AE3216**	16'	8'	13'	15' 11"	27	7.1'
AE3220	20'	10'	17'	19' 10"	32	8.9'
AE3224	24'	12'	21'	23' 8"	38	10.6'
AE3228	28'	14'	25'	27' 7"	53	12.3'
AE3232	32'	16'	29'	31' 5"	60	14'
AE3236	36'	18'	32'	34' 4"	72	15.7'
AE3240	40'	20'	35'	37' 3"	80	17.4'

▶ *Assumes 5' 7" person with 12" vertical reach
▶ ** Does not include rope or pulley

MAXLOCK™
▶ *D-shaped rungs

AE4220PG



SERIES
AE4200PG
ALUMINUM EXTENSION LADDER

TYPE II
225 LBS.
LOAD CAPACITY
INCLUDES WEIGHT OF USER PLUS MATERIALS



1. **ProGrip™**— Slip resistant tread protects work surface.
2. D-shaped rungs.
3. Modified I-beam.

4. **MaxLock™** with **QuickLatch™**.
5. Swivel safety shoe with overmolded polymer tread.

RAIL DEPTH	3"
STACK HEIGHT	5 1/4"
INSIDE WIDTH	
base	15 1/4"
fly	14 5/16"
OUTSIDE WIDTH	
base	17 1/8"
fly	16 3/16"

MODEL	TOTAL LENGTH	LENGTH EACH SECTION	MAX. EXTENDED LENGTH	MAX. REACH*	APPROX. WEIGHT (LBS)	APPROX. CUBES
AE4216PG**	16'	8'	13'	15' 11"	27	6.2'
AE4220PG	20'	10'	17'	19' 10"	32	7.7'
AE4224PG	24'	12'	21'	23' 8"	38	9.1'
AE4228PG	28'	14'	25'	27' 7"	48	10.5'
AE4232PG	32'	16'	29'	31' 5"	58	12'
AE4240PG	40'	20'	35'	37' 3"	80	14.9'

▶ *Assumes 5' 7" person with 12" vertical reach
▶ ** Does not include rope or pulley

MAXLOCK™
▶ *D-shaped rungs

L-2321-16



SERIES
L-2321
ALUMINUM EXTENSION LADDER

TYPE III
200 LBS.
LOAD CAPACITY
INCLUDES WEIGHT OF USER PLUS MATERIALS



1. Mar-resistant rail end caps.
2. D-shaped rungs.

3. Fixed runglock.
4. Slip-resistant feet.

MODEL	TOTAL LENGTH	LENGTH EACH SECTION	MAX. EXTENDED LENGTH	MAX. REACH*	APPROX. WEIGHT (LBS)	APPROX. CUBES
L-2321-16*	16'	8'	13'	15' 11"	16.6	5.7'

▶ *Assumes 5' 7" person with 12" vertical reach
▶ ** Does not include rope or pulley

▶ *D-shaped rungs